

# APPROVAL OF SERVICE SUPPLIERS

This is to certify that

**MEA-NL B.V.**

**Den Oever, Netherlands**

is granted acceptance for

**Service Suppliers engaged in testing of Ballast Water Management Systems (validation of biological efficacy at commissioning) , in accordance with Class Programme DNVGL-CP-0484.**

This service supplier certificate will be accepted for use with all rule sets published by DNV.  
**See the following page(s) for details regarding application.**

This Certificate is valid from **2021-10-05** to (inclusive) **2024-10-04**.

This Certificate is issued on **2021-10-05**.



for **DNV**

This document has been digitally signed and will  
therefore not have handwritten signatures

**Wolfslag, Bas**  
**Surveyor**

This Certificate may be withdrawn if:

1. The service provided has been improperly carried out or the results improperly reported.
2. The surveyor has found any deficiencies in the accepted operating systems of the service supplier.
3. The firm has failed to inform of any major changes having effect on the quality of the service rendered.
4. The conditions listed in the certificate are changed and/or are not fulfilled.



**Application:**

Sampling and analysis as per the 2020 Guidance for commissioning testing of ballast water management systems (BWM.2/Circ.70/Rev.1) using the following analysis method(s) and compliance monitoring device(s):

Organism size class	Indicative analysis	Detailed analysis
Organism size class ≥50 µm	N/A	Microscopy
≥10 and <50 µm	N/A	Microscopy (CMFDA/FDA)

**Remarks:**

The Service Supplier shall carry out sampling and analysis as per the Service Supplier’s documented standard operating procedures and QA/QC procedures.  
 The Service Supplier shall also be familiar with the BWMS operation, its limitations and self-monitoring parameters. This approval is conditional upon the Service Supplier maintaining the documents as audited by DNV and hereby approved.  
 The Service Supplier shall notify DNV in writing of any changes in equipment of procedures.